

Software Code: 01DV0000000118	Product family: CUSTOM JAVAPOS DRIVER
Last available release: 1.66c	

## Firmware changelog

REL.	DATE	RELEASE NOTES
1.66c	11-Jan-23	<b>Bug Fixed:</b> <ul style="list-style-type: none"> <li>Recompiled libjposprintercomm.so 32 bit</li> </ul>
1.66	09-May-22	<b>New features and Improvements :</b> <ul style="list-style-type: none"> <li>Added prop:  <pre>&lt;!--FontDefaultLS: Default print line space. --&gt; &lt;prop name="FontDefaultLS" type="String" value="64"/&gt; ###This prop allows to set space between lines###</pre> </li> <li>Added possibility to set font 4 as default for those printers which supports it (For example TG2480H)</li> <li>Added 1 millimeter white space after the last dotline printed for 2d barcodes</li> </ul> <b>Bug Fixed:</b> <b>Devices supported:</b> <ul style="list-style-type: none"> <li>VK80</li> <li>Kube</li> <li>VKP80II</li> <li>Q3\Q3X</li> <li>K3</li> <li>TPTCM112III</li> <li>VKP80II-ETH</li> <li>KPM180H-200DPI</li> <li>KPM180H-300DPI</li> </ul> MODUS 3
1.65	07-Apr-22	<b>New features and Improvements :</b> <ul style="list-style-type: none"> <li>Added two prop:  <pre>&lt;!--FontDefaultFromID: Default font selected. The values could be 0 (default) 1 or 2 --&gt; &lt;prop name="FontDefaultFromID" type="String" value="0"/&gt;</pre>   <pre>&lt;!--FontDefaultCP: Default font code page selected. --&gt; &lt;prop name="FontDefaultCP" type="String" value="437"/&gt;</pre> </li> </ul> <b>Bug Fixed:</b> <ul style="list-style-type: none"> <li>Fixed linux library for com port error with flow control</li> </ul> <b>Devices supported:</b> <ul style="list-style-type: none"> <li>VK80</li> </ul>

World Headquarters

CUSTOM S.p.A. Via Berettine, 2/B - 43010 Fontevivo Parma ITALY / Tel. +39 0521 680111 - Fax +39 0521 610701

VAT: IT02498250345 Cap. Soc.: 6.000.000 € I.V. / Reg. Imprese Parma n. IT02498250345 / REA n. 243435

[info@custom.biz](mailto:info@custom.biz) - [pec@pec.custom.biz](mailto:pec@pec.custom.biz) - [www.custom.biz](http://www.custom.biz)

		<ul style="list-style-type: none"> <li>• Kube</li> <li>• VKP80II</li> <li>• Q3\Q3X</li> <li>• K3</li> <li>• TPTCM112III</li> <li>• VKP80II-ETH</li> <li>• KPM180H-200DPI</li> <li>• KPM180H-300DPI</li> </ul> <p>MODUS 3</p>
1.63	8-Nov-21	<p><b>New features and Improvements :</b></p> <p><b>Bug Fixed:</b></p> <ul style="list-style-type: none"> <li>• Fixed linux library for com port error with flow control</li> </ul> <p><b>Devices supported:</b></p> <ul style="list-style-type: none"> <li>• VK80</li> <li>• Kube</li> <li>• VKP80II</li> <li>• Q3\Q3X</li> <li>• K3</li> <li>• TPTCM112III</li> <li>• VKP80II-ETH</li> <li>• KPM180H-200DPI</li> <li>• KPM180H-300DPI</li> <li>• MODUS 3</li> </ul>
1.62	15-Jul-20	<p><b>New features and Improvements :</b></p> <ul style="list-style-type: none"> <li>• Aligned to JavaPos 1.14, barcode 2D printing supported</li> <li>• Added magnification parameter in jpos.xml</li> </ul> <p><b>Bug Fixed:</b></p> <p><b>Devices supported:</b></p> <ul style="list-style-type: none"> <li>• VK80</li> <li>• Kube</li> <li>• VKP80II</li> <li>• Q3\Q3X</li> <li>• K3</li> <li>• TPTCM112III</li> <li>• VKP80II-ETH</li> <li>• KPM180H-200DPI</li> <li>• KPM180H-300DPI</li> <li>• MODUS 3</li> </ul>
1.57	14-Apr-20	<p><b>New features and Improvements :</b></p> <ul style="list-style-type: none"> <li>• Added support to GCC 4.8.5 compiler</li> </ul> <p><b>Bug Fixed:</b></p> <p><b>Devices supported:</b></p> <ul style="list-style-type: none"> <li>• VK80</li> <li>• Kube</li> <li>• VKP80II</li> <li>• Q3\Q3X</li> <li>• K3</li> <li>• TPTCM112III</li> <li>• VKP80II-ETH</li> <li>• KPM180H-200DPI</li> </ul>

World Headquarters

CUSTOM S.p.A. Via Berettine, 2/B - 43010 Fontevivo Parma ITALY / Tel. +39 0521 680111 - Fax +39 0521 610701

VAT: IT02498250345 Cap. Soc.: 6.000.000 € I.V. / Reg. Imprese Parma n. IT02498250345 / REA n. 243435

[info@custom.biz](mailto:info@custom.biz) - [pec@pec.custom.biz](mailto:pec@pec.custom.biz) - [www.custom.biz](http://www.custom.biz)



		<ul style="list-style-type: none"> <li>KPM180H-300DPI</li> <li>MODUS 3</li> </ul>
1.56	2-Feb-20	<b>New features and Improvements :</b>  <b>Bug Fixed:</b>  <b>Devices supported:</b> <ul style="list-style-type: none"> <li>VK80</li> <li>Kube</li> <li>VKP80II</li> <li>Q3\Q3X</li> <li>K3</li> <li>TPTCM112III</li> <li>VKP80II-ETH</li> <li>KPM180H-200DPI</li> <li>KPM180H-300DPI</li> <li><b>MODUS 3</b></li> </ul>
1.55	22-Nov-19	<b>New features and Improvements :</b> <ul style="list-style-type: none"> <li>Added support for all codepages</li> </ul> <b>Bug Fixed:</b>  <b>Devices supported:</b> <ul style="list-style-type: none"> <li>VK80</li> <li>Kube</li> <li>VKP80II</li> <li>Q3\Q3X</li> <li>K3</li> <li>TPTCM112III</li> <li>VKP80II-ETH</li> <li>KPM180H-200DPI</li> <li>KPM180H-300DPI</li> </ul>
1.54	3-Oct-19	<b>New features and Improvements :</b> <ul style="list-style-type: none"> <li>Added support for ARM32/64 systems</li> </ul> <b>Bug Fixed:</b>  <b>Devices supported:</b> <ul style="list-style-type: none"> <li>VK80</li> <li>Kube</li> <li>VKP80II</li> <li>Q3\Q3X</li> <li>K3</li> <li>TPTCM112III</li> <li>VKP80II-ETH</li> <li>KPM180H-200DPI</li> <li>KPM180H-300DPI</li> </ul>
1.52	14-May-19	<b>New features and Improvements :</b> <ul style="list-style-type: none"> <li>Improved ethernet communication</li> </ul> <b>Bug Fixed:</b>  <b>Devices supported:</b> <ul style="list-style-type: none"> <li>VK80</li> </ul>

World Headquarters

CUSTOM S.p.A. Via Berettine, 2/B - 43010 Fontevivo Parma ITALY / Tel. +39 0521 680111 - Fax +39 0521 610701

VAT: IT02498250345 Cap. Soc.: 6.000.000 € I.V. / Reg. Imprese Parma n. IT02498250345 / REA n. 243435

[info@custom.biz](mailto:info@custom.biz) - [pec@pec.custom.biz](mailto:pec@pec.custom.biz) - [www.custom.biz](http://www.custom.biz)

		<ul style="list-style-type: none"> <li>• Kube</li> <li>• VKP80II</li> <li>• Q3\Q3X</li> <li>• K3</li> <li>• TPTCM112III</li> <li>• VKP80II-ETH</li> <li>• KPM180H-200DPI</li> <li>• KPM180H-300DPI</li> </ul>
1.50	21-Feb-19	<b>New features and Improvements :</b>  <b>Bug Fixed:</b>  <b>Devices supported:</b> <ul style="list-style-type: none"> <li>• VK80</li> <li>• Kube</li> <li>• VKP80II</li> <li>• Q3\Q3X</li> <li>• K3</li> <li>• TPTCM112III</li> <li>• VKP80II-ETH</li> <li>• <b>KPM180H-200DPI</b></li> <li>• <b>KPM180H-300DPI</b></li> </ul>
1.48	1-Oct-18	<b>New features and Improvements :</b>  <b>Bug Fixed:</b>  <b>Devices supported:</b> <ul style="list-style-type: none"> <li>• VK80</li> <li>• Kube</li> <li>• VKP80II</li> <li>• Q3\Q3X</li> <li>• K3</li> <li>• TPTCM112III</li> <li>• <b>VKP80II-ETH</b></li> </ul>
1.46	12-May-17	<b>New features and Improvements :</b>  <b>Bug Fixed:</b> <ul style="list-style-type: none"> <li>• Fixed column number in K3</li> </ul> <b>Devices supported:</b> <ul style="list-style-type: none"> <li>• VK80</li> <li>• Kube</li> <li>• VKP80II</li> <li>• Q3\Q3X</li> <li>• K3</li> <li>• TPTCM112III</li> </ul>
1.43	2-Dec-16	<b>New features and Improvements :</b> <ul style="list-style-type: none"> <li>• On Linux allowed to make open/claim and release/close more times in the same session</li> </ul> <b>Bug Fixed:</b>  <b>Devices supported:</b> <ul style="list-style-type: none"> <li>• VK80</li> <li>• Kube</li> <li>• VKP80II</li> <li>• Q3\Q3X</li> </ul>

		<ul style="list-style-type: none"> <li>• K3</li> <li>• TPTCM112III</li> </ul>
1.42	14-Jan-16	<b>New features and Improvements :</b>  <b>Bug Fixed:</b> <ul style="list-style-type: none"> <li>• Fixed PrintBitmap Function</li> </ul> <b>Devices supported:</b> <ul style="list-style-type: none"> <li>• VK80</li> <li>• Kube</li> <li>• VKP80II</li> <li>• Q3\Q3X</li> <li>• K3</li> <li>• <b>TPTCM112III</b></li> </ul>
1.08	24-Sep-15	<b>New features and Improvements :</b>  <b>Bug Fixed:</b>  <b>Devices supported:</b> <ul style="list-style-type: none"> <li>• VK80</li> <li>• Kube</li> <li>• VKP80II</li> <li>• Q3\Q3X</li> <li>• <b>K3</b></li> </ul>
1.07	20-Apr-15	<b>New features and Improvements :</b> <ul style="list-style-type: none"> <li>• Added icketout warning for VK80</li> <li>• Added multiprinters management</li> </ul> <b>Bug Fixed:</b> <ul style="list-style-type: none"> <li>• Fixed wrong page width for VK80</li> </ul> <b>Devices supported:</b> <ul style="list-style-type: none"> <li>• VK80</li> <li>• Kube</li> <li>• VKP80II</li> <li>• <b>Q3\Q3X</b></li> </ul>
1.06	18-Jun-13	<b>New features and Improvements :</b> <ul style="list-style-type: none"> <li>• Added bidirectional DirectIO</li> </ul> <b>Bug Fixed:</b>  <b>Devices supported:</b> <ul style="list-style-type: none"> <li>• VK80</li> <li>• Kube</li> <li>• VKP80II</li> </ul>
1.05	9-Jan-13	<b>New features and Improvements :</b> <ul style="list-style-type: none"> <li>• Added ticketout warning for VK80</li> </ul> <b>Bug Fixed:</b>  <b>Devices supported:</b> <ul style="list-style-type: none"> <li>• VK80</li> <li>• Kube</li> <li>• VKP80II</li> </ul>

1.01	23-Feb-12	<b>First released</b>  <b>Devices supported:</b> <ul style="list-style-type: none"><li>• VK80</li><li>• Kube</li><li>• VKP80II</li></ul>
------	-----------	--

#### World Headquarters

**CUSTOM S.p.A.** Via Berettine, 2/B - 43010 Fontevivo Parma ITALY / Tel. +39 0521 680111 - Fax +39 0521 610701

VAT: IT02498250345 Cap. Soc.: 6.000.000 € I.V. / Reg. Imprese Parma n. IT02498250345 / REA n. 243435

[info@custom.biz](mailto:info@custom.biz) - [pec@pec.custom.biz](mailto:pec@pec.custom.biz) - [www.custom.biz](http://www.custom.biz)